

GOVERNMENT OF PUDUCHERRY

CHIEF SECRETARIAT (ANIMAL HUSBANDRY)

No. 012906/CS(AH)/2015.

*Puducherry, the 13th April 2016.***ORDER**

Sub : Chief Secretariat (Animal Husbandry) - Termination of service of Dr. A. Perumal Mohan, Veterinary Assistant Surgeon, Department of Animal Husbandry and Animal Welfare, Puducherry - Orders - Issued.

Ref : Notice of Termination of Service No. 012906/CS (A H)/2015-16, dated 10-2-2016 of Chief Secretariat (Animal Husbandry), Puducherry.

Whereas, Dr. A. Perumal Mohan, Veterinary Assistant Surgeon, who was on probation for a period of 2 years was permitted to proceed to New Zealand to accompany his wife in connection with her higher studies, subject to the conditions that he should not seek or secure any employment there during his visit abroad and should return back to the country within the sanctioned period of leave and to assume charge of his post of duty.

And whereas, Dr. A. Perumal Mohan, Veterinary Assistant Surgeon was granted EOL without Medical Certificate from 22-1-2008 to 30-4-2008 and was relieved of his duties from the afternoon of 21-1-2008.

And whereas, the said officer thereafter has not reported for duty on the request made by the Department and subsequently extended the leave and then submitted his resignation on 19-7-2011 and then withdrew the resignation on 18-10-2011.

And whereas, the Administrative Department has strictly instructed the said officer to join duty immediately *vide* Memoranda of even Numbers, dated 5-2-2009, 9-4-2009, 22-2-2013 and 27-8-2014.

And whereas, Dr. A. Perumal Mohan has not reported for duty and played dilatory tactics in violating the rules and failed to join duty, instead of repeated instructions by the authority.

And whereas, the said officer wantonly remains absent unauthorisedly for more than 7 years with effect from 1-5-2008 and whereas, his unauthorised absence for such a long period is totally against the ambit of the rules in force.

And whereas, the notice under rules 5 (1) of the Temporary Service Rules, dated 10-2-2016 was issued, to the said officer stating that his services will be terminated after a period of one month which expires on 10-3-2016.

Now, therefore, in pursuance of the proviso to sub-rule (1) of rule 5 of the Central Civil Services (Temporary Service) Rules, 1965, the services of Dr. A. Perumal Mohan, Veterinary Assistant Surgeon, Department of Animal Husbandry and Animal Welfare, Puducherry is hereby terminated with effect from 1-5-2008.

(By order of the Lieutenant-Governor)

T. VALARMATHY,
Under Secretary to Government
(Animal Husbandry).

To :

Dr. A. Perumal Mohan,
Veterinary Assistant Surgeon.

Address :

1. No. 1/8, Kanaga Sabai Colony, Koyambedu, Chennai-600 107.
2. No. 24, South Street, Vadiamman Patti, Kottaikarungulam Village, Radhapuram, Thirunelveli-627 112.
3. No. 126C, Long Melford Road, Awapuni, Palmerston North, New Zealand-4410.

GOVERNMENT OF PUDUCHERRY

CHIEF SECRETARIAT**(HIGHER AND TECHNICAL EDUCATION)***(G.O. Ms. No. 7, dated 15th April 2016)***NOTIFICATION**

On attaining the age of superannuation, Dr. T. Selvam, Principal, Dr. SRK Government Arts College, Yanam is admitted into retirement on superannuation with effect from the afternoon of 30-4-2016.

(By order)

F. P. VERBINA JAYARAJ,
Under Secretary to Government
(Higher and Technical Education).

GOVERNMENT OF PUDUCHERRY
KANCHI MAMUNIVAR CENTRE FOR
POSTGRADUATE STUDIES

*Puducherry, the 11th April 2016.***TENDER-CUM-AUCTION NOTICE**

Sealed tenders offering the rates are invited for sale of old/unserviceable/obsolete laboratory articles/instruments/apparatus/equipments/furnitures as detailed in the Annexure belonging to the Department of Physics, Chemistry, Botany, Zoology and Office of the Kanchi Mamunivar Centre for Postgraduate Studies, Puducherry in as-is-where-is condition.

2. The sealed tenders should be addressed to the Director, Kanchi Mamunivar Centre for Postgraduate Studies, Puducherry duly superscribing on the envelope as "tender for the purchase of old/unserviceable/obsolete laboratory articles/instruments/apparatus/equipments/furnitures" and sent to the undersigned and reach on or before 25-5-2016 at 11.00 a.m. The tenders will be opened at 12.00 noon on the same day in the presence of tenderers if any, in the Office of the Director, Kanchi Mamunivar Centre for Postgraduate Studies, Puducherry. In the

highest tender amount quoted will be taken as preliminary amount for public auction, the unserviceable articles will be disposed of on par to the upset price fixed by the Government. If the day for opening the tenders happens to be a public holiday for any reason, the tenders will be received and opened by the same time on the next working day.

3. The intending tenderers should deposit an amount of ₹1,500 (Rupees one thousand five hundred only) as earnest money deposit.

4. The earnest money deposit of the unsuccessful tenderers will be refunded immediately after the tender sale is over.

5. Tenders received after the due date and time will be rejected.

6. The undersigned reserves the right to accept or reject any or all the tenders without assigning any reason thereof.

7. The successful tenderer should pay the full amount including Sales tax/VAT immediately and clear the items within 24 hours at his own risk and cost, failing which the earnest money deposit will be forfeited.

8. No claim about the quantity and quality of the articles will be admitted once the tender is finalised.

9. The intending tenderers can inspect the articles during the office hours in Kanchi Mamunivar Centre for Postgraduate Studies, Puducherry in all working days from 17-5-2015 onwards.

10. In case of any dispute, the decision of the undersigned will be the final.

11. Sales Tax/VAT will be collected as per prevailing rules.

ANNEXURE

I. Condemnation of unserviceable/obsolete laboratory articles of Physics Department:

Sl. No.	Particulars of stores	Quantity/Weight
(1)	(2)	(3)
1	Abee refractometer	4
2	Absorption wave meter	1
3	Advance research optical bench	1
4	Air cooler	1
5	Analog computer trainer	1
6	Anchor ring	10

(1)	(2)	(3)
7	Audio frequency oscillator	3
8	Automatic voltage stabilizer	3
9	Ballistic galvanometer	2
10	Battery - 120 Ah. 12V	2
11	Beranger scale	1
12	Blower	3
13	Centre zero galvanometer	5
14	Common cathode display	1
15	Commutator	2
16	Constant deviation spectrometer	1
17	Constant temperature water bath	1
18	Coordinate measuring microscope	1
19	Cryostat instruments Equipments	1
20	Digital multimeter	17
21	Direct reading digital conductivity meter.	1
22	E/M Apparatus by bar magnetic method.	1
23	E/M Apparatus magnetic focussing method.	1
24	Electric bunsen burner	2
25	Fixograph	1
26	Fluxmeter (Gaussmeter)	2
27	Forbes apparatus	3
28	Head phone	2
29	Heating mantle	1
30	Infra red lamp	1
31	Key - plug	6
32	Lambda scan spectro photometer	1
33	Laser (He Ne) plane polarised and power supply.	1
34	LCR Bridge	1
35	Lechlanche cell	8
36	Michelson interferometer	2
37	Microwave diffraction spectrometer	1
38	Millikan's oil drop apparatus and power supply.	3
39	Multi frequency ultrasonic interferometer	1
40	Mutual and self inductance coil	2
41	Null Detector - Omega	1
42	Nuton stove	2
43	Oscillator null detector	1
44	Over head projector	1
45	Physical balance	1
46	P.O. dial type	3
47	Power supply pack	16
48	Power unit	3

(1)	(2)	(3)	(1)	(2)	(3)
49	Pulse generator	1	7	Battery charger	1
50	Refrigerator - Kelvinator	1	8	Electrical bunsen burner	22
51	Rheostat – 10 Ohms	2	9	Scientific calculator	4
52	Rheostat – 20 Ohms	2	10	Centrifuge machine-electrical	3
53	Rheostat – 40 Ohms	5	11	Centrifuge hand operating	1
54	Rheostat – 44 Ohms	2	12	Burette clamp	15
55	Rheostat – 133 Ohms	1	13	Conductivity bridge	4
56	Search coil	1	14	Conductivity bridge box with HP	2
57	Sinclair steam heater	2	15	De-ionizer	1
58	Single pan balance - 'K' Roy	2	16	Digital top loading balance	1
59	Single pole double throw switch	3	17	Deep freezer	1
60	Single trace cathode ray oscilloscope	12	18	Digital multimeter	1
61	Soldering iron	5	19	Distillation plant	2
62	Solenoid inductor	1	20	Dpdt switch	2
63	Spectro photometer	1	21	Melting point apparatus	1
64	Spectrometer	2	22	Electrode-calomel	2
65	Spot reflecting galvanometer	2	23	Electrode-copper	2
66	Stop clock	5	24	Electrode-glass	2
67	Tesla coil	1	25	Fixograph	1
68	Torsional pendulum	2	26	Flame photometer	1
69	Transistor tester	1	27	Galvanometer (needle type)	2
70	Travelling microscope	1	28	Galvanometer spot reflecting	11
71	Twin transistor power supply	5	29	Gas plant	1
72	Ultrasonic echo pulse interferometer	1	30	Heating block	5
73	Vacuum tube voltmeter	2	31	Heating mantle	17
74	Voltage stabilizer	4	32	Heating coil spray	1
75	Voltmeter – 0 to 10 Volt	2	33	Hot air blower	1
76	Voltmeter – 0 to 100 Volt	2	34	Hot air oven	3
77	Voltmeter – 0 to 25 Volt	2	35	Potentiometer	5
78	Voltmeter – 0 to 300 Volt	2	36	Resistance box	1
79	Water bath	1	37	Rheostat	2
II. Condemnation of unserviceable/obsolete laboratory articles of Chemistry Department:			38	Shaking machine	1
Sl. No.	Particulars of stores	Quantity/Weight	39	Stop clock	6
(1)	(2)	(3)	40	Systronic spectrometer	2
1	Analytical balance	20	41	Thermostat	3
2	Atomic model box	1	42	Multi interferometer ultrasonic	1
3	Automatic slide projector	1	43	Voltmeter	2
4	Single balance pan	2	44	Water bath electrical	2
5	Balance self-indicating	3	45	Water filter stainless steel	1
6	Battery-2 Volt	1	46	Headphone	1
			47	I.R. Lamp	1
			48	Vacuum cleaner with accessories	1
			49	Refrigerator	1
			50	Vacuum pump	1
			51	Soldering iron	1

III. Condemnation of unserviceable/obsolete laboratory articles of Botany Department:

Sl. No.	Particulars of stores	Quantity/Weight
(1)	(2)	(3)
1	Autoclave	1
2	Microscope Compound with one eye lens.	5
3	Microscope Compound with two eye lens.	15
4	Microscope dissection	24
5	pH meter	2
6	Conductivity bridge	1
7	Pressure cooker (small)	1
8	Dessication cabinet	1
9	Physical balance	1
10	Suction and air delivery pump	1
11	Automatic slide projector	1
12	Electric bunsen burner	1
13	Digital balance advance top loading	3
14	Balance single pan/analytical	4
15	Scientific calculator	8
16	Direct reading conductivity meter	1
17	Spectrophotometer	3
18	Dissolved oxygen analyser	1
19	Deep freezer vertical	1
20	Stablizer 5 KV	1
21	Fixograph	2
22	Hot plate	6
23	Hot air oven	2
24	Immersion heater	1
25	Leaf area meter	1
26	Microscope binocular	1
27	Microscope trinocular	1
28	Microscope lamp accessories	9
29	Camera with flash	1
30	Camera without flash	1
31	Over head projector	2
32	Paraffin embedding bath	1
33	Pressure cooker (Big)	2
34	Refrigerator	1
35	SCT Meter	1
36	Air cooler	1
37	Voltage stabilizer 3 KV	1
38	Water deioniser	1
39	Shaker rotory	1
40	Heavy duty shaker rotory	1

IV. Condemnation of unserviceable/obsolete laboratory articles of Zoology Department:

Sl. No.	Particulars of stores	Quantity/Weight
(1)	(2)	(3)
1	Autoclave	1
2	Balance - Analytical	2
3	Balance - Top loading	1
4	Balance - Mechanical	1
5	BP Apparatus	1
6	Bone cutter	12
7	Burette stand	24
8	Burette clamp	20
9	Calculator	1
10	Carbouy plastic	4
11	Centrifuge	2
12	Colorimeter-Erma	1
13	Conductivity meter	1
14	Deioniser	1
15	Dissolved oxygen analyser	1
16	Electric bunsen burner	2
17	Flame photometer	1
18	Gel electrophoresis	1
19	Hot plate	5
20	Hot air oven	1
21	Haemocytometer	1
22	Incubator	1
23	Magnetic stirrer	1
24	Microscope – Binocular	1
25	Microscope – Compound	28
26	Microscope – Dissection	18
27	Microscope - Pathological	1
28	Microscope - Phase contrast	1
29	Microscope - stereoscope	1
30	Microtome rotary	1
31	Paraffin bath	1
32	pH meter	1
33	Slide projector	1
34	Refrigerator	1
35	Spirit lamp	2
36	Stethoscope	1
37	Students stimulator	1
38	Standby power system	1
39	Servo stabilizer	1

(1)	(2)	(3)	(1)	(2)	(3)
40	Thermos flask	1	5	Steel almirah big	2
41	Voltage stabilizer	2	6	Sintex tank (Big - 5,000 ltr.)	3
42	Water analyser	1	7	Steel rack (Small)	2
43	Water filter	1	8	Steel drawer table (Single)	10
44	Scanner	1	9	Steel drawer table (Double)	1
45	Printer	1	10	Steel wheel chair	27
46	OHP	1	11	Steel wire chair (Arm)	52
V. Condemnation of unserviceable/obsolete articles of Office Equipments and Furnitures:			12	Steel wire chair (Armless)	28
Sl. No.	Particulars of stores	Quantity/Weight	13	Wooden wire chair	30
(1)	(2)	(3)	14	Wooden platform	6
1	Wooden chair	90	15	Wooden work table	2
2	Wooden table	55	16	Bicycle	2
3	Steel table	48	17	Airconditioner Compressor	4
4	Steel chair	37	18	Ceiling fan	43
			19	Pedestal fan	6
			20	Tube light (old)	22

DIRECTOR.

**நெட்டப்பாக்கம் கொம்யூன் பஞ்சாயத்து
ஆபத்தான நிறுவனங்கள்**

அறிவிப்பு

கீழ்க்கண்ட நபர் நெட்டப்பாக்கம் கொம்யூன் பஞ்சாயத்தின் எல்லைக்குள் பின்வரும் தொழில் நிறுவனத்தை அமைத்துக்கொள்ள இக்கொம்யூன் பஞ்சாயத்தின் அனுமதி வேண்டுகிறார்.

வரிசை எண்	விண்ணப்பதாரரின் பெயர் மற்றும் முகவரி	நிறுவனம் அமைய உள்ள இடத்தின் முகவரி	உத்தேசிக்கப்பட்டுள்ள நிறுவனத் தயாரிப்பு/செய்முறை	தேவையான மின்திறன்	ஆட்களின் எண்ணிக்கை
(1)	(2)	(3)	(4)	(5)	(6)
1	திருமதி B. கவிதா, உரிமையாளர், மடுகரை மெயின் ரோடு, கரிக்கலாம்பாக்கம், நெட்டப்பாக்கம் கொம்யூன், புதுச்சேரி-605 106.	M/s. எக்டா பாலி டெக், மறு அளவை எண் 7/18, மடுகரை மெயின் ரோடு, கரிக்கலாம்பாக்கம், நெட்டப்பாக்கம் கொம்யூன், புதுச்சேரி-605 106.	பிளாஸ்டிக் கப்ஸ்	128 குதிரைத் திறன்.	9 (இரண்டு பணிமுறைகள்).

1973-ஆம் ஆண்டு புதுச்சேரி கிராமம் மற்றும் கொம்யூன் பஞ்சாயத்துக்கள் சட்டத்தின் மூலமாய் புதுச்சேரி ஒன்றியத்து ஆட்சிப்பரப்பில் அமுலாக்கப்பட்ட புதுச்சேரி கொம்யூன் பஞ்சாயத்துக்கள் (உரிமம் மற்றும் அனுமதி அளித்தல்) விதிகள், 1976, பிரிவு 11-ன் படி இத்தொழில் நிறுவனத்தை நிறுவுவதினால் உண்டாகும் ஆட்சேபணைகள் ஏதேனும் இருந்தால், அவற்றை இந்த அறிவிப்பு வெளியான தேதியிலிருந்து பத்து நாட்களுக்குள் நெட்டப்பாக்கம் கொம்யூன் பஞ்சாயத்து ஆணையர் அவர்களுக்கு எழுத்து மூலமாய் தெரியப்படுத்தும்படி கேட்டுக்கொள்ளப்படுகிறது.

குறிப்பிட்ட காலவரையறைக்குள் பெறப்பட்ட ஆட்சேபணைகள் நெட்டப்பாக்கம் கொம்யூன் பஞ்சாயத்தால் பரிசீலிக்கப்படும்.

நெட்டப்பாக்கம், 2016 ஐதாப் ரபீரல் மீ 7 உ.

சு. முத்துலிங்கம்,
ஆணையர்.